

# The Beta-Binomial Distribution

Kevin R. Coombes

May 2, 2022

## Contents

<b>1 Introduction</b>	<b>1</b>
-----------------------	----------

## 1 Introduction

This vignette documents the beta-binomial distribution, which is included in the *TailRank* package

```
> library(TailRank)
```

Mathematically, the beta-binomial distribution has parameters  $N$ ,  $u$ , and  $v$  that determine the density function

$$\binom{N}{x} \text{Beta}(x + u, N - x + v) / \text{Beta}(u, v).$$

Statistically, one can think of this distribution as a hierarchical model, starting with a binomial distribution  $\text{Binom}(x, N, \theta)$  whose success parameter  $\theta$  comes from a beta distribution,  $\theta \sim \text{Beta}(u, v)$ . This distribution has a larger variance than the binomial distribution with a fixed (known) parameter  $\theta$ .

We provide the usual set of functions to implement a distribution:

- `dbb` is the distribution function.
- `pbb` is the cumulative distribution function.
- `qbb` is the quantile function.
- `rbb` is the random-sample function.

We start by comparing the distributions of a binomial distribution and a beta-binomial distribution.


```
> N <- 20
> u <- 3
> v <- 10
```

```

> p <- u/(u+v)
> x <- 0:N
> y <- dbinom(x, N, p)
> yy <- dbb(x, N, u, v)
>

> barplot(t(matrix(c(y, yy), ncol=2)), beside=TRUE, col=c("blue", "red"))
> legend("topright", c("Binomial", "Beta-Binomial"), col=c("blue", "red"), pch=15)

```



Now we sample data from each of these distributions.

```

> set.seed(561662)
> r <- rbinom(1000, N, p)
> rr <- rbb(1000, N, u, v)
> mean(r)

[1] 4.599

> mean(rr)

[1] 4.482

> var(r)

[1] 3.345545

```

```
> var(rr)
[1] 7.741417
> sd(r)
[1] 1.829083
> sd(rr)
[1] 2.78234
```