

Package ‘rkvo’

October 14, 2022

Title Read Key/Value Pair Observations

Version 0.1

Type Package

Description This package provides functionality to read files containing observations which consist of arbitrary key/value pairs.

Depends R (>= 3.1.0)

Imports Rcpp (>= 0.11)

License GPL-3

LazyData true

LinkingTo Rcpp

Author Vehbi Sinan Tunalioglu [aut, cre]

Maintainer Vehbi Sinan Tunalioglu <vst@vsthost.com>

NeedsCompilation yes

Repository CRAN

Date/Publication 2014-07-06 00:16:50

R topics documented:

readkvs	2
rkvo	2

Index	3
--------------	----------

readkvs	<i>Read key/value pair observations.</i>
---------	--

Description

Provides the workhorse function to read key/value pair observations from a flat file. Note that, same keys and corresponding values in the same observation are returned as vectors.

Arguments

path	The path to the input file.
delim_tuple	The tuple delimiter.
delim_field	The field delimiter.

Value

A list of observations. Each observation is a named list of key/value pairs.

Examples

```
## Not run:
## Assume that we have a file at path "file.dat" with the
## following contents:
##
## key1=value11;key2=value12
## key1=value21;key2=value22
## key1=value31;key2=value320;key2=value321
##
## Let's read this in and display as a matrix:
observations <- readkvs("file.dat", ";", "=")
do.call(rbind, observations)

## End(Not run)
```

rkvo	<i>Read Key/Value Pair Observations</i>
------	---

Description

This package provides functionality to read files containing observations which consist of arbitrary key/value pairs.

Index

[readkvs](#), [2](#)

[rkvo](#), [2](#)

[rkvo-package \(rkvo\)](#), [2](#)